

**Reported Communicable Diseases, North Carolina, January-September 2009 (by date of report)\***

Disease	Year-to-Date (Third Quarter)			3rdQuarter 2009	Comments/ Notes
	2009	2008	Mean (2004-2008)		
Botulism, foodborne/wound	1	0	0	0	
Campylobacter	378	384	499	77	
Chlamydia, laboratory reports	32981	28313	24409	10299	
Creutzfeldt-Jakob Disease	6	4	2	0	
Cryptosporidiosis	59	29	60	11	
E. coli Shiga Toxin-producing	78	71	67	12	
Ehrliciosis, Granulocytic	4	0	2	0	
Ehrlichiosis, Monocytic	27	26	29	10	
Foodborne, Other	30	12	160	0	
Foodborne, Staphylococcal	3	0	3	0	
Gonorrhea	11312	11339	11511	3739	
Haemophilus Influenzae	61	60	53	13	
Hepatitis A	25	52	60	3	
Hepatitis B	138	61	109	16	
Hepatitis B Carrier	1084	362	588	210	
Hepatitis B Perinatal	5	1	2	2	
Hepatitis C, Acute	13	37	17	1	
HIV/AIDS	1358	1690	1443	351	Note 1
Hemol.Urem.Syn/TTP	3	3	4	2	
Influenza Pediatric Mortality	3	1	0	0	
Influenza Novel Infection	431	0	0	290	
Legionellosis	39	24	28	9	
Listeriosis	10	14	18	3	
Lyme Disease	65	29	45	24	
Malaria	21	23	21	3	
Meningococcal Invasive Disease	18	12	21	2	
Meningitis, Pneumococcal	23	30	30	2	
Mumps	9	5	15	1	
Q Fever	1	2	3	0	
Rabies in animals	392	365	141	385	
RMSF	259	313	431	58	
Salmonellosis	842	908	1110	158	
Shigellosis	266	147	146	33	
Strep A	85	117	119	11	
Syphilis, Total	684	359	383	256	Note 2
Toxic Shock Synd. Non-Strep	1	0	3	0	
Toxic Shock Synd.,Strep	3	5	6	0	
Tuberculosis	162	231	225	77	
Typhoid, Acute	3	5	4	1	
Vaccinia	1	0	0	0	
Vibrio, Other	7	4	8	3	
Vibrio vulnificus	2	3	2	0	
VISA/VRSA (Staph aureus)	2	2	1	0	
Whooping Cough	213	79	121	14	

\* Preliminary data, as of 12/1/2009. Quarters defined as 13 week periods. Diseases reported in the first three quarters of 2009 define those listed in this table. Notes: 1. Earliest report with HIV infection or AIDS diagnosis; 2. Includes primary, secondary and early latent syphilis.